



CS150 Intro to CS I

Fall 2015

Chapter 5 Increment, Decrement, Looping, and Files

- Reading: pp. 227-232, 265-284
- Good Problems to Work: p.232 [5.1], p.241 [5.2, 5.3]

Combined Assignments

- We have seen that the same variable can be used on the left hand side of the assignment and on the right hand side

```
notes = notes / 20;
```

```
notes = notes % 20;
```

- These are common in programming, so the two operators can be combined as follows:

```
notes /= 20;
```

```
notes %= 20;
```

Combined Assignments

- Combined assignments can be combined with arithmetic operators

```
y -= a * 2;
```

```
a /= b + c;
```

```
c %= d - 3;
```

- What is the long form of these statements?

Increment and Decrement Operators

- C++ provides a shortcut to increment or decrement a variable by 1
 - Always by 1

```
int x = 99;
```

```
x++; // this is equivalent to x += 1
```

```
x--; // this is equivalent to x -= 1
```

Prefix and Postfix

Prefix	Postfix
<pre>k = --x;</pre>	<pre>k = x--;</pre>
<pre>k = ++x;</pre>	<pre>k = x++;</pre>
Increment/decrement x then assign value of x to k	Assign value of x to k, then increment or decrement x

What is the Output?

```
int y = 0, x = 0, z = 0;
x = y++;
cout << x << " " << y << " "
     << z << endl;

y = ++z;
cout << x << " " << y << " "
     << z << endl;

z = x++ + 1;
cout << x << " " << y << " "
     << z << endl;
```

Tricky ... What is the Output?

```
int count = 0, sum = 0;
while (count++ < 5)
{
    sum += count;
    ++count;
    cout << count << " " << sum << endl;
}
cout << count << " " << sum << endl;
```

Files

- Data stored in variables is temporary
- We will learn how to write programs that can
 - Create files
 - Write to files
 - Read from files

Steps to Using Files

- There are six steps that must be taken in order to use files in C++
 1. Include proper header files
 2. Define a file stream object
 3. Create a variable to communicate with a file
 4. Open the file
 5. Check that the file opened correctly
 6. Use the file
 7. Close the file

1. Header Files

- To access files you will need

```
#include <iostream>
```

```
#include <fstream>
```

2. File Stream Objects (Variables)

```
ifstream inputFile;
```

```
ofstream outputFile;
```

```
fstream inAndOut;
```

3. Opening Files

```
inputFile.open ("filename");
```

- Same syntax for both input and output files
- Filename is a string literal
- Example:

```
ifstream inputFile;  
inputFile.open ("grades.txt");
```

4. Check File Opened Correctly

```
inputFile.open ("grades.txt");  
if (inputFile.fail())  
{  
    cout << "Error opening input file ";  
    exit (EXIT_FAILURE);  
}
```

5. Using File Variables

- Use the input file variable wherever you would use cin

```
inputFile >> num;
```

- Use output file variable wherever you would use cout

```
outputFile << num;
```

- Can read/write double, char, int, string

6. Closing Files

- Any files that have been opened must be closed at the end of the program

```
inputFile.close ();
```

```
outputFile.close ();
```

Problem:

- A datafile "numbers.txt" exists with one double per line. The final value in the file is -99.0 which is called the sentinel value. The sentinel value is not part of any calculation.
- Write a C++ program that calculates the average of all numbers in the file "numbers.txt"