

---

# Logical Operators and if/else statement

# If Statement

---

- We may want to execute some code if an expression is **true**, and execute *some other code* when the expression is **false**.
- This can be done with two if statements...

```
if (value >= LIMIT)
{
    // do something
}
if (value < LIMIT)
{
    // do something else
}
```

# If/Else (4.3)

---

- C++ provides a shortcut to combine two `if` statements:
- The statements in the `else` clause are executed only when the expression is false.

```
if (expression)
{
    // do stuff
}
else
{
    // do other stuff
}
```

# Example

---

```
int number;  
cout << "Enter a number, I'll tell you";  
cout << " if it is odd or even: ";  
cin >> number;  
  
// use an if/else statement here
```

# If/Else: Commenting

---

```
// the expression I'm using here
// checks for . . .
// so that I can ...
if (expression)
{

}
else
{

}
```

# if/else/if statements (4.4)

---

- What if there are more than two alternatives?

```
if (RAINY == currentWeather)
{
    cout << "I need a rain jacket";
}
else if (SUNNY == currentWeather)
{
    cout << "I need a my shades";
}
else
{
    cout << "I better look outside!";
}
```

# if/else/if statements (4.4)

---

- What if there are more than two alternatives?

```
if (RAINY == currentWeather)
{
    cout << "I need a rain jacket";
}
else if (SUNNY == currentWeather)
```

Why is `SUNNY == currentWeather`  
better than `currentWeather == SUNNY` ?

```
else
{
    cout << "I better look outside!";
}
```

# Logical Operators (4.7)

---

- There are three logical operators

&&

And

||

Or

!

Not



# Precedence

## Precedence Operators (Highest to Lowest)

- (negation)            ! (Logical NOT)

\* / %

- +

<= > <

== !=

&&

||

= += -= \*= /= %=

# Evaluating Expressions: And &&

---

- `expr1 && expr2`
- For the complete expression to be true, both `expr1` and `expr2` have to be true
- Example:

`temp > HOT && humidity > STICKY`

- These are unbearable heat **and** humidity conditions
- Both must be true for the entire expression to be true

# Evaluating Expressions: Or ||

---

- `expr1 || expr2`
- The complete expression is true if either `expr1` or `expr2` is true
- Examples:

```
salary < MIN_SALARY || MARRIED == status
```

- To qualify for financial aid, salary has to be less than some minimum salary **or** you must be married
- Only one condition has to be true

# Evaluating Expressions: Not !

---

- **!expr**
- Unary operator: Negation
- Examples:
  - `!(salary < MIN_SALARY)`
  - What makes this true? False?

# Expression Evaluation

---

- According to the operator precedence and associativity rules given on the previous slide, how will the following expressions be evaluated?

`x < min + max`

`min <= x && x <= max`

`!x == y + 2`

`x = a + b % 7 * 2`

# Practice

---

- Are these two code snippets equivalent?

```
int x, y;
if (x > y)
{
    x += y;
}
if (y < x)
{
    y += x;
}
```

```
int x, y;
if (x > y)
{
    x += y;
}
else
{
    y += x;
}
```

# Problem

---

- Write a C++ program segment that allows the user the ability to input an integer from the keyboard.
- If the integer is positive, increment a variable **posCount** by 1. If the integer is **negative**, increment a variable **negCount** by 1. If neither, increment **zeroCount** by 1

```
int posCount=0, negCount=0, zeroCount=0;
```

# Problem

---

- Write a program that displays a letter grade corresponding to an exam score

90 - 100 A                    **double** examGrade;

80 - 89 B                    **cin >> examGrade;**

70 - 79 C

60 - 69 D

0 - 59 F



# Nested if Statements (4.6)

---

- Note the indentation of the inner if

```
if (actual > expected)
{
    if (MAX == actual)
    {
    }
    else
    {
    }
}
else
{
}
```

# Example

---

- Write nested if statements that set the correct value in the **wage** variable:

If your status is full time, and you worked more than 10 years, your wage is \$25. All other full time workers have a wage of \$15. If your status is part time, you have a wage of \$10.

```
const int FULLTIME=0, PARTTIME=1;  
double wage;  
int yearsWorked, status;
```

# Example

---

- Your local bookstore has asked you to write a program to help them determine the cost of shipping of customers orders. If the order is \$30 or less then shipping will cost \$5, if the order is over \$30 then shipping will be \$3

# Problem

---

- The bookstore has now changed its shipping policy so that
  - If the order is \$30 or less, shipping is \$5
  - If the order is over \$30 but less than \$50, shipping is \$3
  - If the order is over \$50 then shipping is \$2

# exit()

---

- To terminate a program we can use the `exit(int status)` function
  - This is a *function*, not part of the language
    - `#include<stdlib.h>`
  - The `status` is returned to the operating system to denote program success or failure
    - Success: 0
    - Failure: non-zero

# Practice

---

- Write a complete program that will ask the user for two integers. Display both integers to the screen only if they are each greater than 1000 and terminate the program with `exit()` otherwise. Use exactly one `if/else`

# Floating Point and Relational Operators

---

- Floating point math may not work out as you expect because of round off errors.
- In Math
  - $6 * 2/3 = 4$
- In C++, where 0.66666 is equivalent to 2/3
  - $6.0 * 0.66666 =$
  - $6.0 * 0.66667 =$
  - $6.0 * 0.666666 =$
  - $6.0 * ( 2.0 / 3.0 ) =$

# Example

---

```
double result;
```

```
result = 6.0 * 0.666666;
```

```
if(result == 4.0)
```

```
{
```

```
    cout << "result == 4.0" << endl;
```

```
}
```

```
cout << setprecision(6) << fixed
```

```
    << result << endl;
```

```
cout << setprecision(2) << fixed
```

```
    << result << endl;
```



# Example

---

```
double result;
```

```
result = 6.0 * 0.666666;
```

```
if(result == 4.0)
```

```
{
```

```
    cout << "result == 4.0" << endl;
```


```
}
```

```
cout << setprecision(6) << fixed
```

```
    << result << endl;
```

```
cout << setprecision(2) << fixed
```

```
    << result << endl;
```



```
C:\WINDOWS\system32\cmd.exe
3.999996
4.00
Press any key to continue . . . .
```