CS150 Intro to CS I

Fall 2014

Chapter 5 Loops & Files

- Reading: pp. 262-264 (Section 5.10)
- Good Problems to Work: p. 297 [18]

Nested Loops

What is the output?

• What is the output?
for (int i = 1; i < 4; i++)
{
 cout << i << ": ";

 for (int j = 0; j < i; j++)
 {
 cout << "*";
 }
 cout << endl;
}</pre>

 Write C++ statements that will read in an integer from the user, n, and produce the following output:

1 22 333

4444

• • •

nnnnnnnn

Consider the following program segment:

```
cout << setw(3) << "i" << setw(3) << "j" << endl;

for (int i = 0; i <= 3; i += 2)
{
   for (int j = i; j <= 3; j++)
        {
        cout << setw(3) << i << setw(3) << j << endl;
        }
   }
}</pre>
```

- 1. What is the output?
- 2. Rewrite the above nested loop as a nested while loop.

- An input file contains data on a day's sales for a number of stores. The first line of the file contains the number of stores. This is followed by the sales amounts for each store. Write a program to display a bar graph of asterisks comparing each store's sales. Each asterisk represents \$100 in sales.
- Sample input and output are on the next slide

Input File

```
1 5
2 1000
3 1200
4 1500
5 800
6 1900
```

Output

```
Store 1: ********

Store 2: ********

Store 3: ********

Store 4: ******

Store 5: *******

Press any key to continue . . .
```