

## Type Casting

9/13/06

CS150 Introduction to Computer Science 1

1

## 7.1 Practice

- Write a C++ program that allows the user the ability to enter the number of nickels and pennies they have. You are then to print the number of dollars and change that corresponds to. The change should be in the form of nickels and pennies

9/13/06

CS150 Introduction to Computer Science 1

2

## Implicit Type Conversion (3.3)


- What happens when we mix the data types of operands during mathematical operations
  - What happens when we save a `double` as an `int`?
  - What happens when an `int` is multiplied by a `float`?
- Data types are ranked
- A data type outranks another if it can hold a larger number

9/13/06

CS150 Introduction to Computer Science 1

3

## Data Type Ranks



9/13/06

CS150 Introduction to Computer Science 1

4

## Rules for Type Conversion

- When a value is converted to a higher data type, it is being *promoted*
- When a value is converted to a lower data type, it is being *demoted*
  - Rule 1:** `char`, `short`, and `unsigned short` are automatically promoted to `int`
  - Rule 2:** When an operator works with values of different types, the lower ranking value is *promoted* to the higher ranking
  - Rule 3:** When the value of an expression is assigned to a variable, it is *converted* to the data type of that variable

9/13/06

CS150 Introduction to Computer Science 1

5

## 7.2 Practice

- Assume the following variable definitions

```
int a = 5, b = 12;
double x = 3.4;
```

  - What are the values of the following expressions:
    - a. `b / x`
    - b. `x * a`

9/13/06

CS150 Introduction to Computer Science 1

6

### Explicit Type Conversion (3.4)

- A type cast expression let's you manually change the data type of a value
- The syntax for type casting is
  - `static_cast<DataType>(Value)`
  - Value is a variable or literal value
  - DataType is the data type that you are converting Value into

9/13/06

CS150 Introduction to Computer Science 1

7

### 7.3 Example of Type Casting

```
double number = 3.7;
int val;
val = static_cast<int>(number);
```

- What is saved into val?

9/13/06

CS150 Introduction to Computer Science 1

8

### Uses of Type Casting

- Preventing integer division

```
int books = 30, months = 7;
double booksPerMonth;
booksPerMonth = static_cast<double>(books) / months;
◦ What about this statement?
booksPerMonth = static_cast<double>(books / months);
```

- Displaying a char from its ASCII value

```
int number = 65;
cout << static_cast<char>(number)
```

9/13/06

CS150 Introduction to Computer Science 1

9

### 7.4 Practice

- What is the value of each of the variables while this expression is being executed?

```
int total;
double gradeCounter, average;
total = 30;
gradeCounter = 4;
average = static_cast<double>(total) / gradeCounter;
```

9/13/06

CS150 Introduction to Computer Science 1

10

### Overflow and Underflow (3.5)

- What happens when a variable is assigned a value that is too large or too small in range for that variable's data type?

```
short testVar = 32767;
cout << testVar << endl;
testVar = testVar + 1;
cout << testVar << endl;
testVar = testVar - 1;
cout << testVar << endl;
```

```
32767
-32768
32767
```

9/13/06

CS150 Introduction to Computer Science 1

11

### Multiple Assignments (3.7)

- C++ allows statements such as:

```
a = b = c = d = 45;
```

- Why do you think that is?
- What is the associativity of the assignment operator?

9/13/06

CS150 Introduction to Computer Science 1

12

## Combined Assignments

- The same variable can be used on the left hand side of the assignment and on the right hand side

```
notes = notes / 20;
```

```
note = notes % 20;
```

- These are common in programming, so the two operators can be combined as follows:

```
notes /= 20;
```

```
note %= 20;
```

9/13/06

CS150 Introduction to Computer Science 1

13

## Examples of Combined Assignments

Operator	Example Usage	Equivalent To
+=	<code>x += 5;</code>	<code>x = x + 5;</code>
-=	<code>y -= 2;</code>	<code>y = y - 2;</code>
*=	<code>z *= 10;</code>	<code>z = z * 10;</code>
/=	<code>a /= b;</code>	<code>a = a / b;</code>
%=	<code>c %= 3;</code>	<code>c = c % 3;</code>

9/13/06

CS150 Introduction to Computer Science 1

14

## 7.5 Combined Assignments

- Combined assignments can be combined with arithmetic operators

a. `y -= a * 2;`

b. `a /= b + c;`

c. `C %= d - 3;`

- What is the long form of these statements?

9/13/06

CS150 Introduction to Computer Science 1

15

## 7.6 What is the Output?

```
int unus, duo, tres;
```

```
unus = duo = tres = 5;
```

```
unus += 4;
```

```
duo *= 2;
```

```
tres -= 4;
```

```
unus /= 3;
```

```
duo += tres;
```

```
cout << unus << endl;
```

```
cout << duo << endl;
```

```
cout << tres << endl;
```

9/13/06

CS150 Introduction to Computer Science 1

16

## getline

- What happens when the user types their first and last name for the following code segment?

```
string name;
```

```
cout << "Enter your name: ";
```

```
cin >> name;
```

9/13/06

CS150 Introduction to Computer Science 1

17

## getline

- `cin` passes over and ignores leading whitespaces, but will stop reading once it gets to the first whitespace character after the string
- Solution?
  - Use `getline` function

9/13/06

CS150 Introduction to Computer Science 1

18

## getline

```
string name;  
cout << "Enter your name: ";  
getline(cin, name);
```

9/13/06

CS150 Introduction to Computer Science 1

19

## getline

- Syntax for getline  
`getline(cin, inputLine);`
- Where
  - `cin` is the input stream
  - `inputLine` is the variable where the string will be stored

9/13/06

CS150 Introduction to Computer Science 1

20

## cin.get()

- Used to read one character from the keyboard at a time
- Also reads new lines, spaces, and tabs as a character
  - `'\n'`: new line
  - `'\t'`: tab
  - `' '`: space

9/13/06

CS150 Introduction to Computer Science 1

21

## Example

```
char ch;  
cout << "This program has paused.";  
cout << "Press Enter to continue.";  
cin.get(ch);  
cout << "Thank you!" << endl;
```

9/13/06

CS150 Introduction to Computer Science 1

22