

## Functions

Chapter 6, page 313

10/30/06

CS150 Introduction to Computer Science 1

1

---

---

---

---

---

## Functions

- “A collection of statements that perform a specific task”, p 313
  - And can be accessed at any point in the code through a *function call* and optionally produce a value

The diagram shows a C++ function definition:

```
double pow (double base, double exp)
{
    double value;
    ...
    return value;
}
```

Annotations explain the parts:

- Return Type: Points to `double`.
- Function Name: Points to `pow`.
- Parameter List: Points to `(double base, double exp)`.
- Function Body: Points to the block between the braces.

10/30/06

CS150 Introduction to Computer Science 1

2

---

---

---

---

---

## Functions

- Functions are a way of building modules in your program
- Encapsulate some calculation
- Less repetitive code
- Example:
  - `x = sqrt(y);`
  - `cout << x << endl;`

10/30/06

CS150 Introduction to Computer Science 1

3

---

---

---

---

---

## Parts of the Function

- Function Name
- Function Body
- Parameter List
- Return Type

10/30/06

CS150 Introduction to Computer Science 1

4

---

---

---

---

---

## Calling a function

```
double pow (double base, double exp)
{
    double value;
    .
    .
    return value;
}

int main()
{
    double value1, value2;
    value1 = pow(4.2, 2.4);
    value2 = pow(value1, 2.4);
    return 0;
}
```

10/30/06

CS150 Introduction to Computer Science 1

5

---

---

---

---

---

## void Functions

- Not all functions need to produce a value
- These functions return **void**

```
void pow (int day)
{
    if ( day == 0 )
    {
        cout << " Sunday ";
    }
    else if (day == 1 )
    {
        cout << " Monday ";
    }
    .
    .
    return;
}
```

10/30/06

CS150 Introduction to Computer Science 1

6

---

---

---

---

---

## 22.1 Practice

- Write a function that will display a menu to the screen.

```
Where were you born?  
1. California  
2. Hawaii  
3. Oregon  
4. Washington  
5. West Virginia  
6. Wyoming  
7. Some Other Place
```

- What should the return type be?
- What parameters do you need?

10/30/06

CS150 Introduction to Computer Science 1

7

---

---

---

---

---

---

---

## 22.2 Practice

- Write a function that will calculate the average of three numbers and return the result to the calling function.
- What should the return type be?
- What parameters do you need?

10/30/06

CS150 Introduction to Computer Science 1

8

---

---

---

---

---

---

---

## Compiling Functions

- The function declaration *must* be placed above its first use in the file

```
double pow (double base, double exp)  
{  
    . . .  
    return value;  
}  
  
int main()  
{  
  
    double value1 = 4.2;  
    value1 = pow(value1, 2.4);  
    return 0;  
}
```

The compiler needs to check to ensure that the function is being called with the correct data types.

10/30/06

CS150 Introduction to Computer Science 1

9

---

---

---

---

---

---

---

## Compiling Functions, part 2

- Or, the a **function prototype** must be given before the function is used

```
double pow (double base, double exp);  
  
int main()  
{  
  
    double value1= 4.2;  
    value1 = pow(value1, 2.4);  
    return 0;  
}  
  
double pow (double base, double exp)  
{  
    ...  
    return value;  
}
```

10/30/06

CS150 Introduction to Computer Science 1

10

The function definition tells the compiler what data types are involved with the function call. This allows the compiler to check and ensure it is being called with the correct data types.

---

---

---

---

---

---

## 22.3 What will happen?

```
void square (int value)  
{  
    cout << (value * value);  
    return;  
}  
  
int main()  
{  
    for(int i = 0; i< 5; i++)  
    {  
        cout << i << ": ";  
        square(i);  
        cout << endl;  
    }  
    return 0;  
}
```

10/30/06

CS150 Introduction to Computer Science 1

11

```
int square (int value);  
  
int main()  
{  
    for(int i = 0; i< 5; i++)  
    {  
        cout << i << ": ";  
        cout << square(i);  
        cout << endl;  
    }  
    return 0;  
}  
  
int square (int value)  
{  
    return (value * value);  
}
```

---

---

---

---

---

---

## 22.4 What will happen?

```
void swap (int value, int value2)  
{  
    int tmp = value;  
    value = value2;  
    value2 = tmp;  
    return;  
}  
  
int main()  
{  
    int x = 9, y = 10;  
    swap(x, y);  
    cout << x << " --- " << y << endl;  
    return 0;  
}
```

10/30/06

CS150 Introduction to Computer Science 1

12

---

---

---

---

---

---

## bool return values

```
bool isEven (int value)
{
    return (value % 2)==0;
}

int main()
{
    int x = 9, y = 10;
    if(isEven(x))
    {
        cout << "EVEN: " << x << endl;
    }
    if(isEven(y))
    {
        cout << "EVEN: " << y << endl;
    }
    return 0;
}
```

10/30/06

CS150 Introduction to Computer Science 1

13

---

---

---

---

---

---

---

## 22.5 Practice

- Write a function to calculate the area of a rectangle and a function to calculate the area of a circle. Both of these functions should produce a value and return it to the calling function.
  - what data type should each function return?
  - what parameters should each function accept?

10/30/06

CS150 Introduction to Computer Science 1

14

---

---

---

---

---

---

---

## 22.6 Practice

- Build a small program that asks the user for either a rectangle or circle and displays the area of the selection shape. Use the functions we just defined.
- Continue asking for input until the user gives the EOF. (End Of File)

10/30/06

CS150 Introduction to Computer Science 1

15

---

---

---

---

---

---

---