
do/while and Nested Loops

CS150 Introduction to Computer Science 1 1

do/while Repetition Structure

- So far, we have looked at
 - while
 - for
 - both of these are pretest loops
- do/while is another repetition structure
- Post-test: test happens at the end of the loop

CS150 Introduction to Computer Science 1 2

do/while Loops

```
do
{
    cout << "Enter a year:" << endl;
    cin >> year;
} while (year < 0); // TEST!
// The body of the loop happens
// before the test
```

CS150 Introduction to Computer Science 1 3

When to use do while?

- Will always execute at least once
- Perfect for data validation!
- **Post-tested** loop

```
do
{
    statements;
} while ( expression );
```

Example

- Write C++ statements that will read in integers from the user until the user inputs an integer greater than 10.

Practice

- Ask the user for an even integer greater than 100. Keep asking until valid input is given.

Practice

- Ask the user for a capital letter. Keep asking until you get valid input.

What is the Purpose?

```
char ch;
do
{
    cout << "Enter a valid code (h, c, i): ";
    cin >> ch;
} while ((ch != 'h') && (ch != 'c') && (ch != 'i'));
```

Loop Review

- We have three types of loops
 - while
 - for
 - do/while
- What is each good for?
- How are they different?

Nested Loops: What is the Output?

```
for (int i = 0; i < 3; i++)
{
    // how many times will this run?
    cout << i << ": ";
    for (int j = 0; j < 2; j++)
    {
        // how many times will this run?
        cout << "*";
    }
    cout << endl;
}
```

CS150 Introduction to Computer Science 1

10

What is the Output?

```
for (int i = 1; i < 4; i++)
{
    cout << i << ": ";
    for (int j = 0; j < i; j++)
    {
        cout << "*";
    }
    cout << endl;
}
```

CS150 Introduction to Computer Science 1

11

Practice

- Write C++ statements that will read in an integer from the user (n) and produce:

1

22

333

4444

....

nnnnnnnnnn

CS150 Introduction to Computer Science 1

12

More Nested Loops

Problem: What is the output from the following program segment?

```
cout << setw(3) << "i" << setw(3) << "j" << endl;
for (int i = 0; i <= 3; i += 2)
{
    for (int j = i; j <= 3; j++)
    {
        cout << setw(3) << i << setw(3) << j << endl;
    }
}
```

Problem: Rewrite the above nested for loop example as a nested while loop.

Nested Loops

- Problem: Write a complete C++ program that allows the user the ability to input a number of students in a class and the number of exam scores for each student.
 - Output each student's average
 - Output the highest and lowest average in the class
