CS150 Intro to CS I

Fall 2015

Chapter 5 Loops & Files

- Reading: pp. 262-264 (Section 5.10)
- Good Problems to Work: p. 297 [18]

Nested Loops

• What is the output?

```
for (int i = 0; i < 3; i++)
{
    // how many times will this run?
    cout << i << ": ";
    for (int j = 0; j < 2; j++)
    {
        // how many times will this run?
        cout << "*";
    }
    cout << endl;
}</pre>
```

```
What is the output?
for (int i = 1; i < 4; i++)</pre>
{
  cout << i << ": ";
  for (int j = 0; j < i; j++)</pre>
    cout << "*";
  }
  cout << endl;</pre>
}
```

 Write C++ statements that will read in an integer from the user, n, and produce the following output:

...

nnnnnnnn

• Consider the following program segment:

```
cout << setw(3) << "i" << setw(3) << "j" << endl;
for (int i = 0; i <= 3; i += 2)
{
   for (int j = i; j <= 3; j++)
     {
      cout << setw(3) << i << setw(3) << j << endl;
   }
}</pre>
```

- 1. What is the output?
- 2. Rewrite the above nested loop as a nested while loop.

- An input file contains data on a day's sales for a number of stores. The first line of the file contains the number of stores. This is followed by the sales amounts for each store. Write a program to display a bar graph of asterisks comparing each store's sales. Each asterisk represents \$100 in sales.
- Sample input and output are on the next slide

Input File		Output
1	5	
2	1000	Store 1: ******
3	1200	Store 2: ***********************************
4	1500	
5	800	Press any key to continue
6	1900	