

For Loops

Section 5.6

for loops (5.6)

- Just like a while loop, but more concise!

```
// initialize      test      update
for (int count = 0; count < 5; count++)
{
    cout << count << endl;
}
```

For vs While

This for loop

```
for (int count = 1; count <= 9; count += 3)
{
    cout << count << endl;
}
```

is equivalent to what **while** loop?

Example

- Write a `for` loop that outputs odd integers less than 10 and greater than 0

Problem

- Write code that will print the sum of the odd integers between 1 and 50 inclusive.
- Do this with a for loop
- Do this with a while loop

Practice

- Write a program that computes the **factorial** of a number. The factorial of a number is given by the formula below. The user will input a value for N.
- $N! = N * (N-1) * (N-2) * \dots * 2 * 1$
 - Where $0! = 1$, $1! = 1$, $2! = 2$, $3! = 6$, ...

Localized Declarations

```
for (int i = 0; i < 10; i++)  
{  
    cout << i << endl;  
}  
cout << i << endl; // This will cause an error
```

- `i` is declared ONLY in the loop

Potential Pitfalls

- What is the output of the following loop

```
int count;  
for (count = 0; count < 5; count++)  
{  
    cout << count << endl;  
    count++;  
}
```


Problem

- Write a program that allows the user to enter 20 integers, you should then print out the following:
 - The sum of all integers inputted
 - The average of all integers inputted
 - The largest integer of all integers inputted