

CS310

Strings, String Operators, and Languages

Sections:

August 27, 2008

Quick Review

- Sets (Union, Intersection, [Proper] Subset)

$\{ n \mid \text{rule about } n \}$

Cross Product/Power Set

- Sequences/Tuples

- Functions

$$f : D \rightarrow R$$

- Relation

$$f : A_1 \times A_2 \times \dots \times A_n \rightarrow \{\text{TRUE}, \text{FALSE}\}$$

Equivalence Relations: 3 conditions

Strings

- Alphabet: Any finite set, $\Sigma = \{a, b\}$
- String: Any finite sequence of symbols from a given alphabet
 - $w = ababaabba$, string over Σ
 - $\varepsilon =$ empty string, zero symbols
 - length of w : $|w| =$ number of symbols it contains
 - $|\varepsilon| =$ $|w| =$
- Strings are building blocks of computer science
 - strings can represent: data sets (DNA),
 - source code, files.

String Operations

- Closure (Σ^*): set of all strings over Σ , including ϵ .

$$\Sigma = \{a, b\} \quad \Sigma^* = \{\epsilon, a, b, ab, ba, aa, bb, \dots\}$$

- Concatenations

If $x, y \in \Sigma^*$, then xy is defined to be the concatenation of strings x, y

$$x=aba \quad y=bab \quad xy=$$

x^k is k copies of x concatenated

$$x^2 =$$

String Operations

- Prefix/Suffix

$z = xy$ for $x, y, z \in \Sigma^*$, x is a prefix of z
 y is a suffix of z

- Reverse

$x \in \Sigma^*$, x^R is the reverse of x
 $x = ab$, $x^R = ba$

Languages

- Language

Language L over Σ is a subset of Σ^*

$$L = \{ x \in \{a,b\}^* \mid |x| \text{ is even} \}$$

$$= \{ \epsilon, aa, ab, \dots \}$$

- Complement of a language L over Σ

$$\Sigma^* - L = L'$$

- Concatenation of languages

L_1 and L_2 over Σ

$$L_1 L_2 = \{ xy \mid x \in L_1, y \in L_2 \}$$

$$L^2 = LL$$

Languages

- Union of languages

L_1 and L_2 over Σ

$$L_1 \cup L_2 = \{x \mid x \in L_1 \text{ or } x \in L_2\}$$

$$L_1 = \{0\}^*$$

$$L_2 = \{1\}^*$$

what is in $L_1 \cup L_2$?

what is in L_1L_2 ?

Languages

- Kleene Star

L^* = set of strings formed by concatenating any number of strings from L

$L = \{ x \in \{ a, b \}^* \mid |x| \text{ is odd} \}$

What does L contain:

{

$L^* = \{ \epsilon, , , , , \}$

Languages

- Recursive Definitions

Define L over $\Sigma = \{0,1\}$ as

1. $\epsilon \in L$

2. If $x \in L$ then $0x1 \in L$

What is in L ? $L = \{ \quad \quad \quad \}$

- Can we prove that $\{\epsilon, 01, 0011, 000111, \dots\}$ is equivalent to $\{0^i 1^i \mid i \geq 0\}$?
- Show L is subset of $\{0^i 1^i \mid i \geq 0\}$ and the reverse

Proof

- For $x, y \in \Sigma^*$, show $(xy)^R = y^R x^R$